Pattern Recognition Letters 14 (1993) 1025–1028
North-Holland

Author Index of Volume 14 *

Aladjem, M.E., A statistical technique for evaluating the significance of control parameters of mapping procedures, (8) 631
Aladjem, M.E., Significance of the control parameters of a non-parametric linear mapping procedure, (8) 637
Anisimov, V.A. and N.D. Gorsky, Fast hierarchical matching of an arbitrarily oriented template, (2) 95
Avis, D., The *m*-core properly contains the *m*-divisible points in space, (9) 703
Bagui, S.C., Classification using first-stage rank nearest neighbor rule for multiple classes, (7) 537
Bagui, S.C., Classification of multiple observations using a rank nearest neighbor rule, (8) 611
Baird, H.S., Recognition technology frontiers, (4) 327
Bala, J. and H. Wechsler, Shape analysis using genetic algorithms, (12) 965
Bandopadhay, A., *see* D. Lamb, (3) 213
Banerjee, D.K., *see* D.P. Mukherjee, (2) 155
Barnard, E., *see* A.M. Groenewald, (7) 567
Bhama, S., H. Singh and N.D. Phadte, Parallelism for the faster implementation of the K-L transform for image compression, (8) 651
Bie, C.Y.C., H.C. Shen and D.K.Y. Chiu, Hierarchical maximum entropy partitioning in texture image analysis, (5) 421
Bigün, J., Unsupervised feature reduction in image segmentation by local transforms, (7) 573
Biswas, S.S. and A.K. Ray, Region merging in 3-D images using morphological operators, (1) 23
Bloch, I., Fuzzy connectivity and mathematical morphology, (6) 483
Botha, E.C., *see* A.M. Groenewald, (7) 567
Boxer, L. and R. Miller, Parallel algorithms for all maximal equally-spaced collinear sets and all maximal regular coplanar lattices, (1) 17
Boxer, L., C.-S. Chang, R. Miller and A. Rau-Chaplin, Polygonal approximation by boundary reduction, (2) 111
Boxer, L., Computing deviations from convexity in polygons, (3) 163
Brandt, R.D., *see* F. Lin, (5) 369
Bunke, H., *see* X.Y. Jiang, (7) 553
Burbaud, J.C., Applied development of advanced techniques in post offices, (4) 259
Burgess, N., *see* S. Di Zenzo, (12) 997
Buse, R. and H.-T. Tsui, Estimating surface orientation from directional textures, (5) 431
Cai, C., *see* X. Chen, (3) 229
Capoyleas, V., Clamping of polygonal objects, (9) 707
Capson, D.W., *see* S. Xu, (1) 7
Cecchini, R. and A. Del Bimbo, A programming environment for imaging applications, (10) 817
Chanda, B., *see* P.K. Saha, (3) 173
Chang, C.C., *see* C.Y. Chen, (6) 465
Chang, C.-C. and T.-C. Wu, A hashing-oriented nearest neighbor searching scheme, (8) 625
Chang, C.-S., *see* L. Boxer, (2) 111
Chaudhuri, B.B. and P. Kundu, Optimum circular fit to weighted data in multi-dimensional space, (1) 1
Chaudhuri, B.B., *see* S.K. Parui, (2) 89
Chaudhuri, B.B., P. Kundi and N. Sarkar, Detection and gradation of oriented texture, (2) 147
Chaudhuri, B.B. and P. Kundu, Erratum to "Optimal circular fit to weighted data in multi-dimensional space", (5) 441
Chaudhuri, B.B., *see* P. Kundu, (10) 825
Chen, C.-C. and C.-L. Huang, Markov random fields for texture classification, (11) 907
Chen, C.Y. and C.C. Chang, An object-oriented similarity retrival algorithm for iconic image databases, (6) 465
Chen, J.-M., *see* J.A. Ventura, (6) 445
Chen, L.T. and L.S. Davis, Parallel curve matching on the Connection Machine, (2) 133
Chen, M., *see* T. Pavlidis, (7) 559
Chen, S., *see* T.J. Hebert, (6) 507
Chen, X. and C. Cai, A chain VQ clustering algorithm for real-time speech recognition, (3) 229
Cheng, M.-C., *see* N. Fang, (5) 397
Cheng, M.-C., *see* Y.-T. Lin, (6) 453
Cheriet, M., *see* C.Y. Suen, (4) 303
Cheriet, M. and C.Y. Suen, Extraction of key letters for cursive script recognition, (12) 1009
Chiang, S.-M., *see* Y.-T. Lin, (6) 453
Chiavetta, F. and V. Di Gesù, Parallel computation of the Euler number via Connectivity Graph, (11) 849
Chiu, D.K.Y., *see* C.Y.C. Bie, (5) 421
Choakjarernwanit, N., *see* P. Pudil, (11) 841
Cowley, K.D., *see* M.C. Fairhurst, (2) 141
Cumani, A. and A. Guiducci, A new camera calibration method for high accuracy non-contact metrology, (5) 415
Davis, L.S., *see* L.T. Chen, (2) 133

Del Bimbo, A., *see* R. Cecchini, (10) 817
De Vriendt, J., Derivation of the third-order directional derivative, (7) 563
Diaspro, A., G. Parodi and R. Zunino, A performance analysis

* The issue number is given in front of page numbers.

of an associative system for image classification, (11) 861
Di Gesù, V., *see* F. Chiavetta, (11) 849
Di Zenzo, S., Decomposing a plane figure into lines and nodes, (12) 935
Di Zenzo, S., N. Burgess, P. Ferragina and M. Notturno Granieri, Recognition by constructive neural algorithms, (12) 997
Dunham, J.G., *see* C.-C. Lu, (12) 945
Dutta Majumder, D., *see* D.P. Mukherjee, (2) 155
Dutta Majumder, D., *see* P.K. Saha, (3) 173
Eades, P., and D. Rapppaport, The complexity of computing minimum separating polygons, (9) 715
ElGindy, H., H. Everett and G. Toussaint, Slicing an ear using prune-and-search, (9) 719
Everett, H., *see* H. ElGindy, (9) 719
Fairhurst, M.C. and K.D. Cowley, Parallel multi-layer classifier architectures of increasing hierarchical order, (2) 141
Fang, N. and M.-C. Cheng, An automatic crossover point selection technique for image enhancement using fuzzy sets, (5) 397
Fang, N., *see* Y.-T. Lin, (6) 453
Fdez-Valdivia, J., *see* N. Pérez de la Blanca, (6) 489
Ferragina, P., *see* S. Di Zenzo, (12) 997
Fortune, S., A note on Delaunay diagonal flips, (9) 723
Frigui, H., *see* R. Krishnapuram, (7) 545
Gambotto, J.-P., A new approach to combining region growing and edge detection, (11) 869
García, J.A., *see* N. Pérez de la Blanca, (6) 489
Gilloux, M., Research into the new generation of character and mailing address recognition systems at the French post office research center, (4) 267
Gimel'farb, G.L. and A.V. Zalesny, Probabilistic models of digital region maps based on Markov random fields with short- and long-range interaction, (10) 789
Gluchev, G., *see* V. Shapiro, (1) 71
Gofman, Y., Outline of a set of points, (1) 31
Goh, S.-C. and C.-N. Lee, Counting minimal 18-paths in 3D digital space, (1) 39
Gorsky, N.D., *see* V.A. Anisimov, (2) 95
Gotsman, C., On the most robust affine basis, (8) 647
Groenewald, A.M., E. Barnard and E.C. Botha, Related approaches to gradient-based thresholding, (7) 567
Guiducci, A., *see* A. Cumani, (5) 415
Hebert, T.J. and S. Chen, Object classification using half-contour features, (6) 507
Heijmans, H.J.A.M., A note on the umbra transform in gray-scale morphology, (11) 877
Holyer, R., *see* S. Krishnamurthy, (11) 915
Huang, C.-L., Pictorial drawing generation for polyhedral object recognition using intensity images, (2) 121
Huang, C.-L., *see* C.-C. Chen, (11) 907
Huang, J.-S., *see* H.-Y. Liao, (10) 833
Huang, S.-T., *see* H.-Y. Liao, (10) 833
Huang, Y. and P. Zamperoni, An investigation on some sequential algorithms for terrain classification, (6) 523
Hwang, S.-C., S.-K. Jung and H.-S. Yang, Efficient 3-D object representation and recognition based on CAD, (8) 679
Iyengar, S.S., *see* S. Krishnamurthy, (11) 915
Jansen, R.C., K. Reinink and G.W.A.M. Van der Heijden, Analysis of grey level histograms by using statistical methods for mixtures of distributions, (7) 585
Jayakumar, R., *see* D. Pao, (12) 951
Jennings, G.F. and W.J. Lenhart, An art gallery theorem for line segments in the plane, (9) 727
Jiang, Q. and W. Zhang, An improved method for finding nearest neighbors, (7) 531
Jiang, X.Y. and H. Bunke, An optimal algorithm for extracting the regions of aplane graph, (7) 553
Joseph, E., *see* T. Pavlidis, (7) 559
Jung, S.-K., *see* S.-C. Hwang, (8) 679
Kalkanis, G., The application of confidence interval error analysis to the design of decision tree classifiers, (5) 355
Kamath, M.V., *see* S. Xu, (1) 7
Kankanhalli, M.S., An adaptive dominant point detection algorithm for digital curves, (5) 385
Kawatani, T. and N. Miyamoto, Verification of personal handwriting characteristics for numerals and its application to recognition, (4) 335
Kim, S.D., *see* J.J. Kwon, (7) 591
Kirby, S.P.J. and C.M. Theobald, Some two-stage procedures for the calculation of discriminant scores in the automated allocation of human chromosomes, (3) 221
Kittler, J., *see* P. Pudil, (11) 841
Korany, E.A., Implementation and performance study of a generalized iterative algorithm for image reconstruction from the Hartley transform intensity, (10) 771
Krishnamurthy, S., S.S. Iyengar, R. Holyer and M. Lybanon, Topographic-based feature labeling for infrared oceanographic images, (11) 915
Krishnapuram, R., H. Frigui and O. Nasraoui, The Fuzzy C Quadric Shell clustering algorithm and the detection of second-degree curves, (7) 545
Kuncheva, L.I., 'Change-glasses' approach in pattern recognition, (8) 619
Kundi, P., *see* B.B. Chaudhuri, (2) 147
Kundu, P., *see* B.B. Chaudhuri, (1) 1
Kundu, P., *see* B.B. Chaudhuri, (5) 441
Kundu, P. and B.B. Chaudhuri, Fuzzy geometric feature-based texture classification, (10) 825
Kwon, J.J. and S.D. Kim, Uncertainty of features in planar object recognition and a new classifier, (7) 591
Lam, L., *see* C.Y. Suen, (4) 303
Lam, L.T.S., *see* D.N.K. Leung, (3) 181
Lam, W.C.Y., *see* D.N.K. Leung, (3) 181
Lamb, D. and A. Bandopadhay, Shape from line drawings: beyond Huffman-Clowes labeling, (3) 213
Lee, C.-N., *see* S.-C. Goh, (1) 39
Legault, R., *see* C.Y. Suen, (4) 303
Leung, D.N.K., L.T.S. Lam and W.C.Y. Lam, Diagonal quantization for the Hough transform, (3) 181
Li, C. and C.-H. Wu, Introducing rotation invariance into the Neocognitron model for target recognition, (12) 985
Li, H.F., *see* D. Pao, (12) 951
Li, Z.-N. and D. Zhang, Fast line detection in a hybrid pyramid, (1) 53

Liang, E.H. and E.K. Wong, An efficient method for obtaining morphological skeletons, (8) 689
Liao, H.-Y., J.-S. Huang and S.-T. Huang, Stroke-based handwritten Chinese character recognition using neural networks, (10) 833
Lin, F. and R.D. Brandt, Towards absolute invariants of images under translation, rotation and dilation, (5) 369
Lin, Y.-T., N. Fang, M.-C. Cheng and S.-M. Chiang, A modified homomorphic approach on invariant features of object images, (6) 453
Lu, C.-C. and J.G. Dunham, Shape matching using polygon approximation and dynamic alignment, (12) 945
Lybanon, M., *see* S. Krishnamurthy, (11) 915
Majumdar, J., *see* K. Rangarajan, (10) 809
Malik, N.K., *see* R. Mukundan, (3) 199
Manninen, A.T., Statistical calculations of 3D-orientation parameters of flat symmetrical polyhedrons, (3) 207
Melter, R.A., I. Stojmenović and J. Žunić, A new characterization of digital lines by least square fits, (2) 83
Mertzios, B.G. and K. Tsirkolias, Statistical shape discrimination and clustering using an efficient set of moments, (6) 517
Miller, R., *see* L. Boxer, (1) 17
Miller, R., *see* L. Boxer, (2) 111
Milun, D. and D. Sher, Improving sampled probability distributions for Markov random fields, (10) 781
Miyamoto, N., *see* T. Kawatani, (4) 335
Mordeson, J.N., Fuzzy line graphs, (5) 381
Mukherjee, D.P., D.K. Banerjee, B. Uma Shankar and D. Dutta Majumder, A coal micrograph image understanding system, (2) 155
Mukundan, R., N.K. Malik and K.R. Ramakrishnan, Attitude estimation using moment invariants, (3) 199
Nadal, C., *see* C.Y. Suen, (4) 303
Narasimha Murty, M., *see* G. Phanendra Babu, (10) 763
Nasraoui, O., *see* R. Krishnapuram, (7) 545
Neuvo, Y., *see* X. Song, (11) 889
Notturno Granieri, M., *see* S. Di Zenzo, (12) 997
Novovičová, J., *see* P. Pudil, (11) 841
Padmanabhan, K., *see* B.V. Sheela, (1) 65
Palubinskas, G., Analytical probability of error for the design of the Bayes decision rule, (10) 753
Pao, D., H.F. Li and R. Jayakumar, A decomposable parameter space for the detection of ellipses, (12) 951
Parodi, G., *see* A. Diaspro, (11) 861
Parui, S.K., S. Sarkar and B.B. Chaudhuri, Computing the shape of a point set in digital images, (2) 89
Pavlidis, T., Recognition of printed text under realistic conditions, (4) 317
Pavlidis, T., M. Chen and E. Joseph, Sampling and quantization of bilevel signals, (7) 559
Pérez de la Blanca, N., J. Fdez-Valdivia and J.A. García, Characterizing planar outlines, (6) 489
Phadte, N.D., *see* S. Bhama, (8) 651
Phanendra Babu, G. and M. Narasimha Murty, A near-optimal initial seed value selection in *K*-means algorithm using a genetic algorithm using a genetic algorithm, (10) 763
Pollastri, F., Projection center calibration by motion, (12) 975
Prasad, R., *see* L. Yang, (12) 1019
Pudil, P., J. Novovičová, N. Choakjarernwanit and J. Kittler, An analysis of the Max-Min approach to feature selection and ordering, (11) 841
Qi, F., *see* Y. Sun, (5) 407
Ragnemalm, I., The Euclidean distance transform in arbitrary dimensions, (11) 883
Rajagopal, C., *see* B.V. Sheela, (1) 65
Ramakrishnan, K.R., *see* R. Mukundan, (3) 199
Rangarajan, K., . Seethalakshmy and J. Majumdar, Computation and use of planar face normals, (10) 809
Rappaport, D., *see* P. Eades, (9) 715
Rau-Chaplin, A., *see* L. Boxer, (2) 111
Ray, A.K., *see* S.S. Biswas, (1) 23
Reinink, K., *see* R.C. Jansen, (7) 585
Rhodes, F., Erratum to "Discrete Euclidean metrics", (1) 79
Robert, J.-M., Maximum distance between two sets of points in E^d, (9) 733
Rosin, P.L., Acquiring information from cues, (7) 599
Rosin, P.L., Ellipse fitting by accumulating five-point fits, (8) 661
Rosin, P.L., A note on the least squares fitting of ellipses, (10) 799
Saha, P.K., B. Chanda and D. Dutta Majumder, A single scan boundary removal thinning algorithm for 2-D binary object, (3) 173
Sarkar, D., A simple algorithm for detection of significant vertices for polygonal approximation of chain-coded curves, (12) 959
Sarkar, N., *see* B.B. Chaudhuri, (2) 147
Sarkar, S., *see* S.K. Parui, (2) 89
Schettini, R., A segmentation algorithm for color images, (6) 499
Seethalakshmy, ., *see* K. Rangarajan, (10) 809
Sgurev, V., *see* V. Shapiro, (1) 71
Shapiro, V., G. Gluchev and V. Sgurev, Handwritten document image segmentation and analysis, (1) 71
Sheela, B.V., C. Rajagopal and K. Padmanabhan, TEMPO – template matching by parametric optimization, (1) 65
Shen, H.C., *see* C.Y.C. Bie, (5) 421
Sher, D., *see* D. Milun, (10) 781
Shermer, T., On recognizing unions of two convex polygons and related problems, (9) 737
Singh, H., *see* S. Bhama, (8) 651
Song, X. and Y. Neuvo, Robust edge detector based on morphological filters, (11) 889
Srihari, S.N., Recognition of handwritten and machine-printed text for postal address interpretation, (4) 291
Starink, J.P.P. and I.T. Young, Localization of circular objects, (11) 895
Stojmenović, I., *see* R.A. Melter, (2) 83
Stonham, T.J., *see* G. Tambouratzis, (11) 927
Suen, C.Y., R. Legault, C. Nadal, M. Cheriet and L. Lam, Building a new generation of handwriting recognition systems, (4) 303
Suen, C.Y., *see* M. Cheriet, (12) 1009
Sun, Y. and F. Qi, Shape normalization through visible region center and unvisible region center, (5) 407

Sun, Y. and S.-Y. Yu, An eliminating highest error (EHE) criterion in Hopfield neural networks for bilevel image restoration, (6) 471
Sun, Y., Neural network approach for classification using features extracted by a mapping, (10) 749
Tambouratzis, G. and T.J. Stonham, Evaluating the topology-preservation capabilities of a self-organising logical neural network, (11) 927
Tanaka, M., On the representation of the projected motion group in 2+1D, (8) 671
Theobald, C.M., *see* S.P.J. Kirby, (3) 221
Toivanen, P.J., Image compression by selecting control points using distance function on curved space, (6) 475
Tokunaga, Y., History and current state of postal mechanization in Japan, (4) 277
Toussaint, G., *see* H. ElGindy, (9) 719
Toussaint, G.T., Editorial, (9) 697
Tsikopoulos, N., A unimodal counterexample to a diameter algorithm, (9) 747
Tsirkolias, K., *see* B.G. Mertzios, (6) 517
Tsui, H.-T., *see* R. Buse, (5) 431
Uma Shankar, B., *see* D.P. Mukherjee, (2) 155
Van der Heijden, G.W.A.M., *see* R.C. Jansen, (7) 585
Veelaert, P., Periodic differences of digitized curves, (3) 169
Ventura, J.A. and J.-M. Chen, Optimal matching of nonconvex polygons, (6) 445
Vstovskaya, A.V., *see* G.V. Vstovsky, (5) 391
Vstovsky, G.V. and A.V. Vstovskaya, A class of hidden Markov models for image processing, (5) 391
Wada, M., Proposal for fully automated mail processing system for the 21st century, (4) 281
Wakahara, T., Toward robust handwritten character recognition, (4) 345
Wechsler, H., *see* J. Bala, (12) 965
Won, C.S., An optimization for classification maximum likelihood criterion, (5) 363
Wong, E.K., *see* E.H. Liang, (8) 689
Wu, C.-H., *see* C. Li, (12) 985
Wu, T.-C., *see* C.-C. Chang, (8) 625
Xie, M., Tracking closed curves by a matching process, (2) 103
Xie, M., 3D motion estimation from combined 2D-3D data of line segments, (3) 191
Xu, S., M.V. Kamath and D.W. Capson, Selection of partitions from a hierarchy, (1) 7
Yang, H.-S., *see* S.-C. Hwang, (8) 679
Yang, L. and R. Prasad, Online recognition of handwritten characters using differential angles and structural descriptors, (12) 1019
Young, I.T., *see* J.P.P. Starink, (11) 895
Yu, S.-Y., *see* Y. Sun, (6) 471
Zalesny, A.V., *see* G.L. Gimel'farb, (10) 789
Zamperoni, P., *see* Y. Huang, (6) 523
Zhang, D., *see* Z.-N. Li, (1) 53
Zhang, W., *see* Q. Jiang, (7) 531
Žunić, J., *see* R.A. Melter, (2) 83
Zunino, R., *see* A. Diaspro, (11) 861